

MODELS: MPG1490	MPG1980	ME1003VIP	<i>Pizza undercounter refrigerator. GN 1/1 700 series.</i>
------------------------	----------------	------------------	--

Strengths

- ✓ ***New efficient line of pizza undercounter refrigerator improved in design, robustness and reliability, maintaining the same capacity and complying quality standards.***
- ✓ ***Improvement of the energy classification, due to the use of R290 refrigerant, electronic fans and optimized circulation of the air for improved temperature uniformity in the interior.***
- ✓ ***New design of glass doors with hinges for automatic return and permanent pressure during closing for MPG models. The automatic return is free when the opening exceeds 95°. They include four-chamber "cleanless" flat door gasket easily removable.***
- ✓ ***The new digital control easy and intuitive-touch screen IP65 protection has a greater precision in the control of the temperature.***
- ✓ ***All condenser units are tested 100%, in helium chambers to refrigerant leak detections.***
- ✓ ***Infrico is AENOR audited and certified by internationally recognized firm. ISO 9001:2015 (Quality); ISO 14001:2015 (Environmental); OSHAS 18001:2007 (Prevention and Worker Safety). Audited and Certified by INTERTEK for compliance with UL 471 and NSF 7.***



MPG 1980



ME 1003 VIP

MODELS	Dimensions (mm)			No Doors	No shelves / Set of slides	Chamber volume (L)	Gross volume (L)	Temperature regime (°C)	Ref.	Gas charge (gr.)	Net weight (Kg.)
	Length	Depth	Height place								
MPG 1490	1490	700	830 1417	2	2 / 10	305 + 35	873 + 1478	0 °C / +6°C +4°C / +8°C	R134a	270	207
MPG 1980	1980	700	830 1417	3	3 / 15	465 + 54	1150 + 1964	0 °C / +6°C +4°C / +8°C	R134a	310 / 280	262
ME 1003 VIP	1460	700	885 1417	3	3 / 9	355 + 35	905 + 1448	0 °C / +6°C +4°C / +8°C	R134a	250 / 290	148

WE RESERVE THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT PRIOR NOTICE

MODELS: MPG1490	MPG1980	ME1003VIP	Pizza undercounter refrigerator. GN 1/1 700 series.
------------------------	----------------	------------------	--

STANDARD CHARACTERISTICS

➤ Exterior

- Stainless steel AISI 304.
- Totally injected compact structure.
- Granite countertop,
- Adjustable legs up to 200 mm, allowing total height of 900 mm.

➤ Interior

- Stainless steel AISI 304.
- Interior with wide radiuses joints for easy cleaning.
- Drain inside the chamber.

➤ Puertas

- Integrated handle doors and pivoting hinge with opening lock.
- Throttled door with four-chamber easy-to-replace door gasket.
- Door clearance of 375x526.

➤ Insulation

- Insulation by 70 mm thick free CFC's polyurethane, foam high-pressure injected with density 40 Kg/m³.
- Zero ODP and Low GWP.

➤ Shelves

- (1) 325x530 mm interior shelf per door.
- Shelves and slides easily removable for cleaning.

➤ Refrigeration

- Temperature and defrost regulated by digital touch controller IP 65.
- Ventilated cooling system / Cold sheet,
- Evaporative tray without electrical resistor for a better energy class.
- Evaporators treated with anti-corrosion polyester Epoxy.
- Better extraction with the new monoblock refrigeration system.
- Climatic class 4 (30°C, 55%RH).

OPTIONAL

- ☐ Shelves,
- ☐ Set of slides.
- ☐ Lock,
- ☐ Set of trays.
- ☐ Casters,
- ☐ R290 refrigerant,
- ☐ Electrical connection 220 V / 1 ph / 60 Hz.
- ☐ Electrical connection 115 V / 1 ph / 60 Hz.

MPG 1490 / ME 1003 VIP
(GN 1/4X150) = 6



MPG 1980
(GN 1/2X150) = 1; (GN 1/4X150) = 6



➤ Electrical

- Electrical connection: 230 V / 1 ph / 50 Hz



MODELS	Dimensions palletizing (mm)			Pallet weight (Kg.)	Power (W)	Comp. (HP)	Cooling capacity (W a -10°C)	Consumption (kWh/24h)	Intensity (A)	Container 20'/40'/40'HC	Trailer
	Length	Depth	Height place								
MPG 1490	1550	800	1460	227	400 + 150	1/4 + 1/8	298 + 140	44,60	2,2	10 / 22 / 22	25
MPG 1980	2020	780	1460	284	430 + 150	1/3 + 1/8	395 + 140	4,95	3,92	7 / 15 / 15	19
ME 1003 VIP	1580	780	1460	160	464 + 150	3/8 + 1/8	464 + 140	5,23	3,03	7 / 15 / 15	25

WE RESERVE THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT PRIOR NOTICE

MODELS: MPG1490 MPG1980 ME1003VIP

Pizza undercounter refrigerator. GN 1/1 700 series.




GENERAL VIEW

FRONT VIEW




TOP VIEW

SIDE VIEW



MPG 1490



MPG 1980





ME 1003 VIP



ME

CONNECTIONS



MODELS	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)
MPG 1490	98	73	85,5	300	612
MPG 1980	98	73	124,5	300	612
ME 1003 VIP	-	-	-	-	-

WE RESERVE THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT PRIOR NOTICE